



FULL VISION DOOR THICKNESS: 1¾" | ALUMINUM FRAME

COMMON LAYOUTS



SPECIAL LAYOUTS




IMPORTANT - The full vision door should not be used for its insulation properties.

FRAME COLORS

Standard



[†]Semi-custom color doors are coated with an acrylic resin-based liquid painting.




WINDOWS







White Sandblasted







Black Satin



SuperGrey Tinted



Graylite



Mirrorpane




Bronze Tinted



Green Tinted



Grey



Screen



Niagara



Pinhead

GLAZING OPTIONS		Clear	Clear Low-E	Clear Lamined	White Sandblasted	Black Satin	SuperGrey Tinted	Graylite	Grey	Bronze Tinted	Green Tinted	Pinhead	Mirrorpane	Glue Chip	Screen	Niagara	Diamond
Glass	Single Pane 1/8**	•			•	•	•		•	•		•					
	*Thermopane 1/8"	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
Acrylic	Single Pane 1/8"	•															
	*Thermopane %"	•															
Important	· '	Availability: • = California • = California's Commercial Construction *Thermopane and Triple Wall Structure: low additional fees apply.															

SIZES

Widths from 8' to 18', in 1" increments. Heights from 6'6" to 8', in 1" increments. See your garage door dealer for more details on oversized doors available.

*Thermopane and Triple Wall Structure: low additional fees apply. Single Pane and Thermopane Glass have both sides tempered.

WARRANTY

Door sections: limited lifetime Dura+ hardware: 2 years Weatherstripping: 1 year Windows: 10 years against seal defects 1 year for thermal break





info@garaga.com | garaga.com

US Head Office Canadian Head Office 1 844 918-2828 Ponca City OK

1 800 464-2724 St-Georges QC











YOUR GARAGA DISTRIBUTOR







